



20 NORTH WACKER DRIVE, SUITE 1260, CHICAGO, IL 60606

PHONE: (312) 578-8900 FAX: (312) 578-8904

RZ2.R05052.01.ID.211

TECHLAW INC.

July 17, 1998

Mr. Gerald Phillips
U.S. Environmental Protection Agency
Region 5 D-8J
77 West Jackson Boulevard
Chicago, Illinois 60604

Reference:

EPA Contract No. 68-W4-0006; Work Assignment No. R05052

Environmental Priorities Initiative (EPI) Assessments; Certified Technology, Inc., Rockford, Illinois, EPA ID No. ILR000016980; PA/VSI Report and

NCAPS Scoring Report; Task 04 Deliverable

Dear Mr. Phillips:

Please find the enclosed Preliminary Assessment/Visual Site Inspection (PA/VSI) Report and the NCAPS Scoring Report for the above-referenced facility. The NCAPS total migration score is 8.14.

Should you have any questions or require additional information, please feel free to contact me at (312) 345-8963 or Mr. Bill Weslev at (312) 345-8955.

Sincerely

Patricia Brown-Derocher

Regional Manager

Enclosures

cc:

F. Norling, EPA Region 5, w/o attachments

W. Jordan/Central Files

B. Wesley

Chicago Central Files

c:\ehs\52\52id211.wpd

PRELIMINARY ASSESSMENT/VISUAL SITE INSPECTION FOR CERTIFIED TECHNOLOGY, INC. EPA ID No. ILR000016980 915 22nd STREET ROCKFORD, ILLINOIS

Submitted to:

Mr. Gerald Phillips
U.S. Environmental Protection Agency
Region 5 D-8J
77 West Jackson Boulevard
Chicago, Illinois 60604

Submitted by:

TechLaw, Inc. 20 North Wacker Drive, Suite 1260 Chicago, Illinois 60606

EPA Work Assignment No. Contract No. TechLaw WAM Telephone No. EPA WAM Telephone No. R05052 68-W4-0006 Mr. Bill Wesley 312/345-8955 Mr. Gerald Phillips 312/886-0977

PRELIMINARY ASSESSMENT/VISUAL SITE INSPECTION REPORT FOR

CERTIFIED TECHNOLOGY, INC. EPA ID No. ILR000016980 915 22nd STREET ROCKFORD, ILLINOIS

TABLE OF CONTENTS

	Page
I.	EXECUTIVE SUMMARY I-1
II.	SITE DESCRIPTION
III.	SOLID WASTE MANAGEMENT UNITS III-1
IV.	AREAS OF CONCERN
V.	CONCLUSIONS V-1
VI.	REFERENCES
<u>Tables</u>	
Table III-1	Solid Waste Management Units and Areas of Concern Summary
Appendices	
Appendix A	Visual Site Inspection Photograph Log
Appendix B	Visual Site Inspection Field Notebook
Appendix C	Facility Layout and SWMU/AOC Locations

I. EXECUTIVE SUMMARY

The RCRA Facility Assessment (RFA) is the first step in implementing the corrective action provisions of the 1984 Hazardous and Solid Waste Amendments (HSWA) to the Resource Conservation and Recovery Act (RCRA). The purpose of the RFA is to identify environmental releases or potential releases from solid waste management units (SWMUs) and areas of concern (AOCs) that may require corrective action by the facility owner. A preliminary assessment/visual site inspection (PA/VSI) is a form of an RFA suitable for implementing the corrective action provisions of HSWA. This PA/VSI Report constitutes the reporting requirement for the RFA at the Certified Technology, Inc. (Certified Technology) facility in Rockford, Illinois.

A preliminary assessment (PA) of the available U.S. Environmental Protection Agency (U.S. EPA) and State of Illinois file materials was conducted to familiarize the TechLaw, Inc. (TechLaw) Team with past compliance history, evidence of past releases, potential migration pathways, potential for exposure to any released hazardous constituents, closure methods and dates, citizen complaints, manufacturing processes and waste management practices at the Certified Technology facility.

A Visual Site Inspection (VSI) was conducted at the facility on June 3, 1998 by the TechLaw Team to identify and characterize SWMUs and AOCs. Mr. Edward Eggleston, the President of Certified Technology provided facility history, process and waste management information during the VSI. Mr. Eggleston also provided additional file material after the VSI had been completed. Mr. Duane Herrmann of Certified Technology and environmental consultant, Ken R. Thompson of Fehr-Graham Associates, were also present for the duration of the VSI. The photographs taken during the VSI are documented in Appendix A. The VSI Field Notebooks are included in Appendix B, and a Site Map showing SWMU and AOC locations is presented in Appendix C.

A total of four SWMUs were identified. No AOCs were identified. The SWMUs are described in more detail in Section III of this report. Based on available file materials and VSI observations, all the SWMUs appeared to have a low potential for environmental release.

Illinois EPA (IEPA) required closure of the Former Hazardous Waste Storage Area (SWMU 1) when it determined during a 1996 compliance inspection that Certified Technology had been generating hazardous wastes for approximately 10 years without having shipped any hazardous waste off-site. Accordingly, IEPA classified the facility as a reduced requirement - small quantity generator (SQG) which had stored hazardous waste on-site for over 180 days and was therefore considered a hazardous waste storage facility without a RCRA permit. At the time of the inspection, Certified Technology had accumulated approximately ninety 55-gallon drums of plating process wastes on site. SWMU 1 went through RCRA closure in the spring of 1997 according to the IEPA approved closure workplan and IEPA approved the final closure on May 7, 1997.

Upon closure of the Former Hazardous Waste Storage Area (SWMU 1), Certified Technology began using the area as a temporary staging area for containerized waste acids used in plating, cleaning and stripping of parts. These wastes are the same wastes which were managed at this unit prior to closure, and they typically carry hazardous waste codes which include D002, D007, D008, and D010. These containerized wastes are moved to the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2) prior to being transported off-site for treatment and/or disposal by Clean Harbors, Laidlaw and Phibro-Tech.

II. <u>SITE DESCRIPTION</u>

Mr. Ed Eggleston owns and operates the nickel plating business which is known as Certified Technology, Inc. (Certified Technology). The Certified Technology facility is located at 915 22nd Street in Rockford, Illinois and is situated in an industrial and residential area. Certified Technology leases the southern two sections (A and B) of a four section building owned by B & J Building. Section C and D are north of Certified Technology. Section C, immediately north of Certified Technology is occupied by a glass/window company (Ability Glass) while section D (north of section C) is occupied by a tool and die shop. The facility is bounded to the east by 22nd Street, to the west by an alley and residences, and to the south by a private residence. The facility property covers one acre. Administrative and industrial operations occur in one building which contains an office area, laboratory, and two large rooms used for primarily for plating and materials and waste storage. The entire facility has a total floor space of approximately 9,000 square feet. Appendix C presents a facility's map, as well as the locations of all the SWMUs identified during the VSI.

Certified Technology began business at the site in 1984. The nickel plating process and associated waste storage have been conducted in the southern half of the facility since 1984. The northern half of the facility has been leased by Certified Technology since 1997, and a portion of the northern room has been used by Mr. Ed Eggleston and his car club since May 1997 to store vintage British cars. Certified Technology uses the remainder of the northern portion of the facility to store raw materials and containerized hazardous and non-hazardous waste. The facility laboratory is located in the southern half of the building. The laboratory is used to test nickel plating solutions and small amounts of waste nickel plating solutions are generated in the laboratory each year. Certified Technology representatives speculated that the building was built in the 1930s or 1940s. Certified Technology had no knowledge of who may have occupied the building prior to 1984.

Certified Technology currently employs three people. Certified Technology performs electricless nickel plating of various metal parts, primarily for the food and printing industry. Electricless nickel plating is the only electroplating process which has been conducted by Certified Technology at this site. Raw materials used in the facility operations include the following: muriatic acid, phosphoric acid, nitric acid, and nickel plating solutions.

There are several waste streams generated at the facility. Non-hazardous, municipal solid waste and industrial waste such as paper, wood, plastic containers and cardboard are generated and managed in dumpsters prior to being transported off-site for disposal. Waste oils are generated by the car club, however, car club members are reportedly responsible for taking the waste oil off-site and disposing of it properly. With the exception of a pie-tin containing waste oil, no waste oil was observed at the site.

Acid stripping and plating wastes containing heavy metals such as chromium, lead, nickel, selenium, and zinc are generated in the plating area from the preparation of parts for plating and

the actual plating process, including the first and second rinses following plating. Waste nitric acid from the passivating operation and waste muriatic acid from the pickling operation typically carry D002 (corrosivity) and D007 (chromium), D008 (lead) and D010 (selenium) hazardous waste codes. Additionally, Certified Technology generates a non-hazardous waste sodium orthophosphite sludge containing nickel from the plating operations and a non-hazardous waste alkaline parts cleaner. All of the above wastes are containerized in 55-gallon drums and stored on-site in the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2) prior to off-site treatment and disposal. Additionally, nickel-plating bath samples analyzed in the laboratory are containerized in existing 55-gallon drums prior to disposal. No other waste is generated in the laboratory according to facility representatives.

The facility has a General Wastewater Discharge Permit from the Rock River Water Reclamation District which enables them to discharge rinsewater generated from parts cleaning to the local sanitary sewer system. Rinsewater is pumped via sump-pumps from the Rinsewater Sumps (SWMU 3) to overhead pipes and eventually into a sewer drain (Wastewater Piping and Sewer Drain - SWMU 4) which drains directly to the city sanitary sewer underlying 22nd Street. No pre-treatment of the rinsewater occurs at the facility prior to discharge into the sewer system. Pollutants monitored in the wastewater include cadmium, cyanide, chromium, copper, lead, molybdenum, nickel, silver, toxic organics, and zinc. Available analytical reporting data indicate that Certified Technology was within its General Wastewater Discharge Permit concentrations for 1997, and the Rock River Water Reclamation District confirmed that they have never taken an enforcement action against the facility or identified the facility as a significant non-complier.

Release History

The only evidence of a potential release involved the Former Hazardous Waste Storage Area (SWMU 1). The closure report for the unit indicates that some staining was observed immediately adjacent to a wall in a two feet by 24 feet area. This area was cleaned with trisodium phosphate soap and triple rinsed during RCRA closure activities. Based on a concrete inspection during closure, contractors for Certified Technology determined that soil sampling was not necessary. IEPA inspected the Former Hazardous Waste Storage Area (SWMU 1) April 17, 1997 and determined that the unit had been closed in accordance with the approved closure plan.

Environmental Setting

The Certified Technology facility is located in an industrial residential area in Rockford, Illinois. Private industrial companies are housed in the same building, to the north of Certified Technology. A private residence is located to the south of Certified Technology and the site is bounded to the east by 22nd Street and to the west by an alley. 21st Street and private residences. The Rock River is located approximately two miles to the east of the facility, and Keith Creek is located approximately 300 feet north of Certified Technology. The nearest residential unit is located approximately 100 feet south of the facility. No sensitive environments or wetlands were

observed in the vicinity of the facility during the VSI or upon analysis of the area's United States Geological Survey (USGS) topographic map coverage.

Information from databases maintained by the Illinois State Water Survey reveals that there are several groundwater wells within a 3/4 mile radius of the facility, many of which appear to be in use. Based on available information, the nearest groundwater drinking well is believed to be located within 0.3 miles of the facility.

Based upon a review of a USGS topographic map, it appears that the area around the facility gently slopes to the east towards the Rock River. The area around the facility has a 1-year, 24-hour maximum rainfall average of about 2.5 inches and a net precipitation of approximately 2.0 inches.

According to the 1984 Illinois Department of Energy and Natural Resources: State Geological Survey Division publication, *Geology for Planning in Boone and Winnebago Counties* (Berg, R.C. Kemp., Kempton, J.P. and Stecyk), unconsolidated glacial sediments fill the Rock River valley up to a depth of 250 feet and consist of alternating layers of sand/gravel and lacustrine, silt, and clay. The shallow aquifer is located in this unconfined, unconsolidated sand and gravel. The deep aquifer is the confined Mt. Simon sandstone which extends approximately 1,500 feet.

Regulatory History

On October 22, 1992, IEPA performed a RCRA compliance evaluation inspection (CEI). According to the inspection report, IEPA was investigating a complaint that Certified Technology was storing 50-100 drums of waste at the facility. The inspection report concluded that the drums actually contained "fresh nickel plating solution or acid." No violations were cited as a result of the inspection.

On February 12, 1996, an inspection by the Rock River Water Reclamation District (RRWRD) revealed that approximately 60 drums of suspected waste nickel plating solution were present at the site.

A February 15, 1996, RCRIS entry identifies the facility as a small quantity generator and storage facility without a permit.

The RRWRD notified the IEPA Division of Land Pollution Control of their February 12, 1996 observations and a follow-up RCRA CEI was conducted on March 8, 1996. During the March 8, 1996 inspection, IEPA determined that the facility had been generating RCRA hazardous waste for 10 years without shipping any of it off-site. Ninety drums of plating and parts-cleaning waste, including 76 which carried a D002 hazardous waste code, were reportedly in storage at the facility. IEPA therefore determined that Certified Technology would be tracked as a RCRA hazardous waste generator and storage facility requiring a permit. IEPA also cited 20 violations of RCRA generator and storage facility requirements, including a failure to label drums as

hazardous waste and a failure to obtain a RCRA permit for the storage of hazardous waste.

On April 29, 1996, IEPA sent a Pre-Enforcement Conference Letter to Mr. Eggleston of Certified Technology. The letter requested that Mr. Eggleston attend an enforcement conference on May 14, 1996 to discuss the violations cited as a result of the March 8, 1996 inspection.

On June 5, 1996, another CEI was conducted by IEPA as a follow-up to the March 8, 1996 inspection. The CEI report indicated that the facility had shipped all of the hazardous waste and most of the non-hazardous waste off-site (with the exception of 15 drums of non-hazardous waste) and had agreed to go through RCRA closure of the Former Hazardous Waste Storage Area (SWMU 1). The report cited 15 outstanding RCRA violations stemming from a failure to comply with RCRA hazardous waste storage requirements.

A Notice of Closure for the Former Hazardous Waste Storage Area (SWMU 1) was posted in the Rockford Register Star on Wednesday, July 17, 1996.

On August 23, 1996, the IEPA wrote to Certified Technology regarding a RCRA closure plan submitted August 12, 1996 for the Former Hazardous Waste Storage Area (SWMU 1). The plan was conditionally approved by IEPA in the letter. Additionally, a separate letter was sent by IEPA to Certified Technology on this date, informing them that as a result of a July 10, 1996 response (not in the available file materials) to the April 29, 1996 Pre-Enforcement Conference Letter, the facility had returned to compliance for two apparent violations related to financial assurance for RCRA closure.

In March of 1997, Certified Technology submitted a certification of closure and a closure documentation report to IEPA for the Former Hazardous Waste Storage Area (SWMU 1).

On April 17, 1997, IEPA conducted a RCRA closure verification inspection (CVI) to document the results of closure activities conducted in November. 1996. On May 7, 1997, IEPA sent a letter to Certified Technology informing them that the April 17, 1997 CVI determined that the facility appeared to have closed the area in accordance with the approved closure plan, and therefore no further action was required of Certified Technology at that time.

Certified Technology has an active General Wastewater Discharge Permit from the RRWRD which enables them to discharge rinsewater generated from parts cleaning to the local sewer system. The current permit was issued January 27, 1997, and expires on January 31, 2000. According to Dennis Priewe of the RRWRD, permits are renewed every three to five years and the facility has likely had a wastewater discharge permit since it began operations at the site in 1984. Mr. Priewe said that it his understanding that no enforcement actions have been taken against the facility by the RRWRD and they have never identified the facility as a significant non-complier.

No record of air permits or inspections was found in the available file material nor obtained during the VSI.

III. SOLID WASTE MANAGEMENT UNITS

A total of four solid waste management units (SWMUs) and no areas of concern (AOCs) were identified during the PA and VSI. The SWMUs and AOCs are listed in Table III-1 on the following page.

This section presents descriptions of the SWMUs identified during the PA and VSI at the Certified Technology, Inc. facility. Photograph numbers correspond to those presented in the Photograph Log in Appendix A. A map showing SWMU and AOC locations is presented in Appendix C.

TABLE III-1

SOLID WASTE MANAGEMENT UNITS AND AREAS OF CONCERN SUMMARY CERTIFIED TECHNOLOGY, INC.

SWMU No.	SWMU NAME	RELEASE POTENTIAL
SWMU 1	Former Hazardous Waste Storage Area	Low
SWMU 2	Hazardous/Non-Hazardous Waste Storage Area	Low
SWMU 3	Rinsewater Sumps	Low
SWMU 4	Wastewater Piping and Sewer Drain	Low

SWMU 1 - Former Hazardous Waste Storage Area

Report Photo No(s): 1 and 2

Log Book Photo No(s): 1-1 and 1-2

Period of Operation: 1984 to Present

Location: This unit is located indoors in the northwest corner of the plating room (Section A).

Physical Description: This unit consists of an approximately 15 foot by 25 foot area of concrete floor which is free of cracks or other indications of integrity problems. During the VSI, some water was observed in the vicinity of the unit, however, no evidence of release was observed from the four 55-gallon plastic drums stored at the unit. Prior to May 1997, this area was used for the storage of various containerized hazardous wastes. During a March 8, 1996 RCRA CEI, IEPA determined that the facility had been generating RCRA hazardous waste for 10 years without shipping any of it off-site. The unit was RCRA closed and a no further action letter was sent to the facility on May 7, 1997. The area is currently used for the accumulation of D002, D007, D008, and D010 hazardous wastes and may also be used for the accumulation of non-hazardous wastes. Following the accumulation of a full drum, the waste is transferred to the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2) prior to off-site disposal/treatment. No secondary containment devices were identified in association with this unit.

Wastes Managed: The unit managed various containerized hazardous wastes, including waste nitric acid (D002, D008, D010), waste sodium hydroxide (D002), and waste hydrochloric acid (D002, D007, D008, and D010). As indicated by the D007 (chromium), D008 (lead) and D010 (selenium) hazardous waste codes, the acid wastes sometimes contained heavy metals at hazardous concentrations. Additionally, records indicate that some hydrochloric and nitric acid waste only carried a D002 waste code. When Certified Technology performed RCRA closure activities in 1996, all of the drummed waste residing at the unit was shipped off-site for disposal. This included 71 drums of D002 nitric acid waste, seven drums of D002 sodium hydroxide waste, three drums of D002 hydrochloric acid waste, 12 drums of D002 nitric acid waste, one drum of D002, D008, D010 nitric acid waste, and two drums of D002, D007, D008, D010 hydrochloric acid waste. At the time of the VSI there were five drums of D002 acid waste, two of which were used in stripping operations and also carried D007, D008, and D010 hazardous waste codes.

History of Releases: The closure report indicates that some staining was observed immediately adjacent to a wall in a two foot by 24 foot area. This area was cleaned with trisodium phosphate soap and triple rinsed during closure activities. Based on a concrete inspection during closure, contractors for Certified Technology determined that soil sampling was not necessary. IEPA inspected the unit on April 17, 1997 and determined that the unit had been closed in accordance with the approved closure plan.

()	High	Potential for Past/present Release:
()	Moderate	
(X)	Low	

Conclusions: Based on a concrete inspection during closure, IEPA's determination the unit had been closed in accordance with the approved closure plan, and observations made during the VSI, it does not appear that this unit has released to the environment. Therefore, no further action is recommended for this unit.

SWMU 2 - Hazardous/Non-Hazardous Waste Storage Area

Log Book Photo No(s): 1-3, 1-4, and 1-5

Report Photo No(s): 3, 4, and 5

Period of Operation: May 1997 to Present

Location: This unit is located in the northern half of the facility (Section B), in the southwest corner.

Physical Description: This unit is a less than 90-day storage area which is situated on the crack free concrete floor of the facility building and occupies a total area of approximately 40 feet by 20 feet. The hazardous waste portion occupies an area measuring approximately 15 feet by 20 feet. The remaining area is used for the storage of non-hazardous wastes. At the time of the VSI, 13, 55-gallon drums of hazardous waste and approximately 100 drums of non-hazardous waste were present. Small quantities of product were also observed in this area, stored in 5-gallon and smaller containers. No secondary containment devices were identified in association with this unit at the time of the VSI.

Wastes Managed: This unit receives wastes from the Former Hazardous Waste Storage Area (SWMU 1) which is currently used as a waste accumulation area. Of the approximately 113, 55-gallon drums of waste present, 13 drums were D002, D007, D008, and D010 hazardous wastes, 75 were non-hazardous waste nickel plating solutions, and 25 were various non-hazardous wastes which included floor sweepings and wastewater. Wastes are transported off-site for treatment and/or disposal by Clean Harbors, LaidLaw and Phibro-Tech.

History of Releases: None observed at the time of the VSI or reported in the file materials.

Potential for Past/present Release: High ()
Moderate ()
Low (X)

Conclusions: No further action is recommended since the unit is located indoors on sealed concrete and there is no evidence of releases.

SWMU 3 - Rinsewater Sumps

Report Photo No(s): None

Log Book Photo No(s): None

Period of Operation: 1984 to Present.

Location: These sumps (three in total) are located between plating lines one and two, plating lines two and three, and north of plating line four, respectively.

Physical Description: Each of the three Rinsewater Sumps is a sawed-off 55-gallon plastic drum containing a sump-pump which pumps wastewater to the overhead wastewater pipes (Wastewater Piping and Sewer Drain - SWMU 4). These units are above-ground, resting on the concrete floor surface in the southern portion of the facility which contains the plating lines. Each sump receives non-hazardous rinsewater generated during pre-plating and post plating operations. No secondary containment devices were identified in association with this unit during the VSI.

Wastes Managed: This unit manages rinsewaters generated during the pre-plating and postplating of parts. This wastewater is non-hazardous, however, it does contain some hazardous constituents. Pollutants detected in the wastewater include copper, cadmium, nickel, chromium, copper, lead, nickel, and zinc. None of these pollutants are present at concentrations which require treatment prior to discharge to the sanitary sewer.

History of Releases: None observed at the time of the VSI or reported in the file materials.

Potential for Past/present Release: High	()
Moderate	()
Low	(X)

Conclusions: No further action is recommended since the units are located indoors above sealed concrete floors, and there is no history of release from these units.

SWMU 4 - Wastewater Piping and Sewer Drain

Report Photo No(s): None

Log Book Photo No(s): None

Period of Operation: 1984 to Present

Location: This unit consists of overhead piping leading from the Rinsewater Sumps (SWMU 3) to the sewer drain in the extreme northeastern corner of the plating room (Section A).

Physical Description: This unit consists of a combined 200 feet of 1-½ to 1-3/4 inch overhead PVC piping which carries wastewater from the Rinsewater Sumps (SWMU 3) to the in-ground sewer drain in the extreme northeastern corner of the facility. The sewer drain connects directly to the City of Rockford sanitary sewer underlying 22nd Street immediately east of the facility.

Wastes Managed: This unit manages rinsewaters generated during the pre-plating and postplating of parts. This wastewater is non-hazardous however it does contain some hazardous constituents. Pollutants that have been detected in the wastewater include copper, cadmium, nickel, chromium, copper, lead, nickel, and zinc. None of these pollutants are present at concentrations which require treatment prior to discharge to the sanitary sewer.

History of Releases: There is no record of releases from this unit. According to a representative of the Rock River Water Reclamation District, wastewater discharges from this unit have been in significant compliance with discharge limitations established in the General Wastewater Discharge Permit issued by the Rock River Reclamation District.

Potential for Past/present Release:	High	()
-	Moderate	()
	Low	Ċ	X)

Conclusions: As there is no record of releases from this unit, no further action is recommended for this unit.

IV. AREAS OF CONCERN

No Areas of Concern (AOCs) were identified during the PA/ VSI at the Certified Technology facility.

V. <u>CONCLUSIONS</u>


As the only area observed or documented to have potentially been contaminated was an indoor unit which has since undergone an IEPA approved RCRA closure, further investigations under Corrective Action Authorities do not appear to be warranted.

VI. REFERENCES

- Illinois Environmental Protection Agency, Division of Land Pollution Control, RCRA Inspection Report for inspection of Certified Technology, Inc., Rockford Plant, dated October 22, 1992.
- 2. Illinois Environmental Protection Agency, Division of Land Pollution Control, Complaint Investigation Form for Certified Technology, Inc., Rockford Plant, dated February 16, 1996.
- Illinois Environmental Protection Agency, Division of Land Pollution Control, RCRA Inspection Report for inspection of Certified Technology, Inc., Rockford Plant, dated March 8, 1996.
- Illinois Environmental Protection Agency, Division of Land Pollution Control, letter to Certified Technology regarding violations based on March 8, 1996 Inspection, dated April 29, 1996.
- 5. Certified Technology, Inc., Waste Handling and Emergency Procedures, dated May 15, 1996.
- 6. Illinois Environmental Protection Agency, Bureau of Land/Field Operations Section, RCRA Inspection Report for inspection of Certified Technology, Inc., Rockford Plant, dated June 5, 1996.
- 7. Rockford Register Star, Notice of Closure No. C-768 for plan to close the hazardous waste container storage area located at Certified Technology, dated July 17, 1996.
- 8. Illinois Environmental Protection Agency, Permit Section, letter to Certified Technology, Inc., regarding review of closure plan, dated August 23, 1996.
- 9. Illinois Environmental Protection Agency, Bureau of Land, letter to Certified Technology regarding compliance for apparent violations, dated August 23, 1996.
- 10. Rock River Water Reclamation District, letter to Certified Technology Inc., regarding General Wastewater Discharge Permit, dated January 30, 1997.
- 11. Certified Technology Inc., Certification of Closure and Closure Documentation Report, dated March 1997.
- 12. Illinois Environmental Protection Agency, Bureau of Land/Field Operations Section, RCRA Inspection Report, for inspection of Certified Technology, Inc., Rockford Plant, dated April 17, 1997.

- 13. Illinois Environmental Protection Agency, Bureau of Land, Permit Section, letter to Certified Technology Inc., regarding Inspection of April 17, 1997, dated May 7, 1997.
- 14. TechLaw, Inc., Field Inspection Checklist by Mike Powers, dated June 3, 1998.
- 15. TechLaw, Inc., Field Inspection Checklist by Bill Wesley, dated June 3, 1998.
- 16. Telephone call from Dennis Priewe, Rock River Water Reclamation District to Bill Wesley, dates July 8, 1998.
- 17. Material Safety Data Sheet, sodium aryl sulfonate, September 5, 1990 revision, received during June 3, 1998 VSI.
- 18. Illinois State Waste Survey, Private Well and PICS groundwater information, dated July 13, 1998.

APPENDIX A
Visual Site Inspection Photograph Log



Report Photograph No.: 1 Logbook Photograph No.: 1-1

Date: 6/3/98

Time: 1140 Direction: North

Description: View of the Former Hazardous Waste Storage Area (SWMU 1). The 55-gallon drums are used for accumulating hazardous wastes while the smaller containers in

the background are used for product storage.



Report Photograph No.: 2 Logbook Photograph No.: 1-2


Date: 6/3/98

Time: 1145 Direction: West

Description: Another view of the Former Hazardous Waste Storage Area (SWMU 1). Product

is stored in the 5-gallon plastic containers seen to the right. The 55-gallon drums

are used for the accumulation of hazardous wastes.



Report Photograph No.: 3 Logbook Photograph No.: 1-3


Date: 6/3/98

Description: View of the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2). At the time of the VSI, hazardous waste was stored in the 13 drums located in the left

Time: 1151

Direction: South

half of the photo.




Report Photograph No.: 4 Logbook Photograph No.: 1-4

Time: 1152 Date: 6/3/98 Direction: Southwest

Description: Another view of the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2),

focusing on the non-hazardous waste portion. Approximately 100 drums of nonhazardous waste were present in total, approximately 75 drums were nickel wastes

and 25 were miscellaneous wastes.



Report Photograph No.: 5 Logbook Photograph No.: 1-5

Date: 6/3/98

Time: 1204 Direction: West/Southwest

Description: Another view of the Hazardous/Non-Hazardous Waste Storage Area (SWMU 2). The wastes are primarily non-hazardous floor sweepings to the left and non-

hazardous plating sludge to the right. The 1-gallon containers to the right were

reportedly product.

APPENDIX B
VISUAL SITE INSPECTION FIELD NOTEBOOK

Facility:	Certified T	echnology,	Inc.
	2006 : 1 - 2000 2000 CC - 30 C020		
UTY/Sta	te: Rockfo	ra, IIIInois	
Date:	6/3/98		
au_	Marie Principal Control Control		27 46 2360 (1764
Page		of <u> \frac{1\frac{1}{2}} </u>	
·			

Personnel Present		Time	50
I.) VSI Team	Bill Wesley		
2.) Facility Representatives	Mike Power! Ed Egglecton & Ken Thomps	Ken R. Thompson Project Manager - Environmental	6
	Prane Herman	815/394-4700 (Rockford) FAX 815/235-4632 660 W. Stephenson Street Freeport, Illinois 61032	FEHR-GRAHAM & ASSOCIATES Engineering and Science Consultants
3.) State Representative	Not in attention		
Topics Addressed			
1.) Purpose of VSI	_	ot due to closure, not cam	· ~ 1
2.) List of SWMUs/AOCs	Cur Sat Accum (a)	ca Former Hoz Aven), (ur	Hazy Newhoz Stage
3.) Health and Safety	no PPE regnised		
4.) Transportation on Site	walking tour		
5.) Other	o	·	
Notes: Fer-Gmhm world 9000 cg ft 3 emplayed - cacclab activities - all waste	taken home by induduals	enlyears none stoed	
= initial walk-then 11	anna agus an agus agus an Guaig Maille an 1900 agus agus an an an tagair agus an Airle an Airle an Airle an Ai		Latina May 190
-) car clay present since	e october 97, that pool s	ignature: MA	starting May 97
		. 1966. ISBN 1886-1981 1985 - 1987 1987 1987	Salah Dirik LifeBro Piy

-	Current/Former	Operations
	Curturullis	Operacons

Facility: Certified Technology, Inc.
City/State: Ricckford, Illinois
Date: 6/3/98
Page 2 of 17

Certified Technology - Ed Englishers Does of Current Operations Operations Description Description Description Descriptions Operations Electricity machines, machine parts, 50% stand Inlanc birst Englishers Ed Englishers beloves Former Operations Operations Descriptions Time Certified Technology - Ed Englishers Ed Englishers beloves Ed Englishers beloves Former Operations Operations Operations Time Certified Technology - Ed Englishers Ed Englishers beloves Former Operations Operations Operations The 1984 (building weart when Certified learners) Strell fluxs ler tanks manufacture - likely 1) Former Operations O			
Certain Operations Dates of Current Operations Operations Electric Nickel Plating - find processing copt, knithing machines, machines, machines parts, 80% steet balance bass, knithing machines, machines parts, 80% steet balance bass, Former Operations Ed Englisher beloves Former Operations Operations The 1984 (hilliang weart when Certified local) strell flux for tanks manufacture - likely 3) Former Operator Dates of Former Operations Operations Notices: Car Club green learned beginning in May 197, no writes stored in car club gertain Adjacent machine shap to math) - occupied for 7-8 yes, 13 different companies Notices and local shap are supplied adjacent area (machineshap), 13 yespina to machine shap came in to getation n 185-86			Time
Certain Operations Dones of Current Operations Operations Electroler Nickel Plating - find processing cost, knithing machines, machines, machines parts, 80% steet balance bass, nathing machines, machines parts, 80% steet balance bass, former Operations Ed Englisher beloves Former Operations Operations The 1984 (hilliang weart when Certified local) strell fluxs ber tanks, manufacture - likely 3.) Former Operator Dones of Former Operations Operations Votos: Car Club green known beginning in May 197, no writes stored in car club perturn Adjacent machine shap to meth) - occupied for 7-8 yes, 23 different companies I indeed and flow Shap - recupied adjacent area (machineshap), 2 3 yespense to machine shap came in to getation no 185-86	1.)	Current Owner	Bad Building Corperation mp
Operations Descriptions Descriptions Electrifier Nickel Plating - find processing copting traiting machines, machine parts, 80% stand Indiana has traiting machines, machine parts, 80% stand Indiana has Ed Englisher beloves Former Operator Descriptions Descriptio		Current Operator	, <i>j</i>
2) Former Owner Former Operator Dates of Former Operations Operations 1) Former Owner Former Operator Dates of Former Operations Op		Dates of Current Operations	
2) Former Owner Former Operator Dates of Former Operations Operations 1) Former Owner Former Operator Dates of Former Operations Operations Steel Muns ler tanks manufacture - likely 1) Former Operator Dates of Former Operations Operations Notes: Car Club grea level beginning in May 197, no u-sies stored in car club pertarn 1 adjacent machine shep (to meth) - occupied for 7-8 yes, 13 different companies 1 Lindow and Box Shep - recognited adjacent grea (machine shep); 2 3 yespent to machine step, came in to operation no 185-86		Operations	Electroles Nickel Plating-food processing east.
Dates of Former Operations Operations Steel Muss ker tanks manufacture - likely 1) Former Owner Former Operations Operati	2.)	Former Owner	
3) Former Owner Former Operations Dates of Former Operations Operations Notes: Car Club area leased bactening in May 197, no wistes stored in car club pertain Adjacent machine shap (to mith) - occupied for 7-8 yes, 23 different companies I lindow and Doc Shap - occupied adjacent area (machineshap), 2 3 yespome to machine shap, came in to operation ~ 185-186		Former Operator	. 2
3) Former Owner Former Operations Dates of Former Operations Operations Notes: Car Club area leased bostoning in May 197, no wistes stored in car club pertain Adjacent machine shop (to mith) - occupied for 7-8yes, 23 different companies Window and Daces hop - occupied adjacent area (machineshop); 2 3 yespone to machine stop, came in to operation ~ 185-186		Dates of Farmer Operations	Pre 1984 (bulling exent when Cotified location
Former Operations Dates of Former Operations Operations Notes: Car Club grea learned beginning in May 197, no wistes stored in car club pertern - adjacent machine shep (to mith) - occupied for 7-8 yes, 23 different companies - Window and Dac Shep - recupied adjacent grea (machinespen), 2 3 yespenc to machine shep, came in to operation ~ 185-186		Operations	Strellius ber tanks manufacture - likely
Dones of Former Operations Operations Votes: Car Club grea learned beginning in Alay 197, no wisters stored in car club pertann - adjacent machine shep (to mith) - occupied for 7-8 yes, 23 different companies - Lindow and Box Shep - recupied adjacent area (machineshop); 2 3 yis permite machine shop, came in to operation ~ 185-186	3)	Former Owner	
Operations Votos: Car Club area learned beginning in May 197, no wistes stored in car club perturn adjacent machine shop (to mith) - occupied for 7-8 yrs, 23 different companies Window and Box Shop - recupied adjacent area (machineshop), 2-3 yis periodic machine stop, came in to operation ~ 185-186		Former Operator	
Motos: Car Club area learned basining in May 197, no wastes stored in car club partian adjacent machine shap (to mith) - occupied for 7-8 yrs, 23 different companies Nindow and Bac Shap - recupied adjacent area (machineshap); 2-3 yis princ to machineshap, came in to appendica ~ 185-186		Dates of Former Operations	
- adjectit machine shep (to meth) - occupied for 7-8 yes, 23 different companies - Lindow and Box Shep - occupied adjected area (machineshop), 2 3 yespent to machine stop, came in to operation ~ 185-186		Operations	
- adjacent machine shop (to mith) - occupied for 7-8 yes, 23 different companies - Window and Box Shop - occupied adjacent area (machineshop), 2 3 yis pear to machine shop, come in to operation ~ 185-186			
medius stop came in to operation ~ 185-186	Votes:	Car Club area lead b	ograning in May 197, no wisters stored in carelub
mechanistry came in to operation ~ 185-186	- 	discoit machine short	to mith - occupied for 7-8, rs 23 different commences
Constructed in 1940s Signature: Mf	ا د	Lindow and Bor Shep -	rough adjacent area (mechanishes), 2 3 yespens to
Constructed in 1940s Signature: Mf		mediusty, come in to	gentien ~ 85-86
	Con	strated in 1940s	Signature: 201

Hazardous Waste Processes

Facility: Certified Technology, Inc.
City/State: Rockford, Illinois
Date: 6/3/98
Page 3_ of 17

Current Former Wasse(s) Generated - Bisposition Bates Current Former Wasse(s) Generated - Current Former Wasse(s) Generated - Current Former Wasse(s) Generated - Current Former Wasse(s) Generated Rate 55-gal drums - Current Former Dates - Current Former Wasse(s) Generated Rate 55-gal drums - Current Former All nices and places and places of the place of the pla		
Waste(s) Generated 0002, 0008, 0010, 0007 Reser Strapper — ethylene diamine solution Bioposition For mere info 10,7-15-3 () ethylene diamine solution 13,0-03-() Sodum hydrex Current Former Waste(s) Generated Rate 55-gal bruns Flo gittic 2-3 man, 3 phas stripper 6, Disposition Dates Current Former Nate(s) Generated Waste(s) Generated Rate Plating both waste solution and phasphorius, sodium orthyphosphite sludge Rate Disposition Dates Signature: Notes:		Time 10 40
Waste(s) Generated DOO 2, DOO 8, DOID, DOO? Reser Stripper — ethylene diamine solution Econtain spiritoxis of Leandain sp	Current Former	0.002
Disposition See Bils notes fer mere info for mere info ic 17-15-3 ① ethylene diam 1310-13-1 ② sodium hydrex! Current/Former Waste(s) Generated Rate 55-gel hours 8-10 sitic, 2-3 man, 3 phas stripper 6, Disposition U cleaner Dates Current/Former Aickel plating bath waste & cigqqe to silution a bath Current/Former Aickel plating bath waste & mickel sulghate and phesphorus, sodium orthophosphite 5 loading et silution Disposition Dates 1310-13-1 ② ethylene diam 1310-13-1 ② sodium hydrex! 1310-13-1 ③ ethylene diam 1310-13-1 ④ ethylene diam 1310-13-1 ⑥	Waste(s) Generated	/ / / / / / / / / / / / / / / / / / /
for more info 1310-03-10 Sodium hydrox 1 Current/Former Wasie(s) Generated Rate 55-gel downs 4 cleaner Dates Current/Former Notes: 1310-03-10 Sodium hydrox 1 13	-Rate-	stripper - ethylene diamine solution
for mere info 1310-03-10 Sodium hydrox 1 Current/Former Waste(s) Generated Rate 55-gal downs 4 cleaner Dates Current/Former Inckel plating both waste & and phesphorus, sodium arthyposphite sludge Rate 35-drims of sludge (non haz) present Notes: Notes:	-Dimenium * See	Bills notes
Current/Former Waste(s) Generated Rate 55-sel bruns Bill aiter 2-3 man, 3 phas stripper 6, Disposition Dates Current/Former Aickel plating both waste 6 Waste(s) Generated Solution stripper and phosphorius, sodium orthographite sludge Rate 35 drums of sludge (non haz) present Notes: Notes:	for	more info
Current Former Waste(s) Generated Rate 55-gal downs 8-10 gitter, 2-3 man, 3 phas stripper 6, Disposition Urrent Former Notes: Current Former Notes: Current Former Notes: Signature: Notes: Signature: Notes: Current Former Notes: Signature: Si	Dates .	
Waste(s) Generated Rate 55-sel drams 8-10 siture, 2-3 mas, 3 phas stipper 6, Disposition 4 cleaner Dates Current/Former nickel philing bath waste 6 mickel sulphate and phesphrines, sadium orthophesphrite 5 longe Rate 35 drams of sladge (non haz) present Notes: Notes:		1310-133 - Co sodium hydrax1
Waste(s) Generated Rate 55-gel brums 8-10 situe, 2-3 mm, 3 phas , stipper 6, Disposition 4 cleaner Dates Current/Former nickel philip bath waste 6 placed Support and phasphorus, sadium orthythogshite 5 ludge Rate 3 5 drums of 5 ludge (non haz) present Notes: Notes:	Current/Former	reportedly same process since 1984
Rate 55-gal drams & 10 nitric 2-3 mm. 3 phs. stipper 6, Disposition 4 cleaner Dates Current/Former Nickel plating bath waste 8 Maste(s) Generated nickel plating bath waste 8 Rate 3-5 drams of slunge (non hoz) present Disposition Dates Notes: Signature: MP	Waste(s) Generated	• / /
Dates - Current/Former Nickel plating both waste & (1996 of 501 intimina bath) Waste(s) Generated plating both waste & (non haz) Waste(s) Generated plating both waste & (non haz) Rate 3-5 drump of sludge (non haz) present Disposition Dates 84 to Present Notes:	Rate 55-gal don	
Current/Former Alckel plating bath waste & (190% of silution in bath Waste(s) Generated Anckel Sulphate and Masphorus, sodium arthorhosphite sludge Rate 3-5 drums of sludge (non haz) present Disposition Dates 184 to Present Notes: Signature: MP	Disposition	4 cleaner
Waste(s) Generated	Dates	
Waste(s) Generated		timiabath
Waste(s) Generated	Current/Former	aggle of solu
Rate 35 drums of sludge (non haz) present Disposition Dates 184 to Present Notes: Signature: MP	nickel	DAYING DUCK WAS CE O
Disposition Dates Y84 to Present Notes: Signature: MP	Waste(s) Generated	nickel Sulphate and shosphorus, sodium orthophosphite studge
Notes: Signature: PP	Rate	35 drums of sludge (non haz) present
Notes: Signature:	Disposition	•
Signature: m	Dates	184 to Present
Signature: M	Notes:	
Signature: M		
Signature: M		
Signature: m		
Signature: MP		
		Signature: /*//

Facility: Certified Technology, Inc. **Hazardous Waste Processes** City/State: Rockford, Illinois 6/3/98 4 of 17 Date: Page Time Current/Former Waste(s) Generated Rate Disposition Dates Current/Former Waste(s) Generated Rate Disposition Dates Current/Former Waste(s) Generated

Rane

Dates

Disposition

Signature: mf

Active/Closed US	Si	Ts
------------------	----	----

Facility: Certified Technology, Inc.
City/State: Rockford, Illinois.
Date: 6/3/98
Page _____ of _____

	Time	
Product		
Capcity		ļ
Construction		
Installed (yr)		
Closed/Date		
Product	Present	
	My M	
Capcity		
Construction		
Installed (yr)		
Closed/Date		
Product	N°	
Canain		
Capcity		}
Construction		1
Installed (yr)		ļ
Closed/Date		
Notes:		
		_
		_
		_
		-
78 4 × 30 × 10 ×	and the same of th	-
	Signature: 177 j	-

Name Former Haz Waste Storage frea L'arrent Haz labote Accumulation freq	Facility: Certified Technology, Inc. City/State: Rockford, Illinois Date: 6/3/98 Page 6 of 17
Waste Managed Code MSDS/Analytical Period of Operation	Time_1135AM closed by state in '97g Accum. Arm in go
Notes Leber to Bill wesley's note	s on all SWMUs
	Signature: Mf

TechLaw, inc.

SWMU No. 2

Name Current Haz + Nonhaz Waste Storage Area

Facility: Certified Technology, Inc. City/State: Rockford, Illinois

Date: 6/3/98

Page _______ of _______

	Time 11 50
Active/Former/Closed	
☐ Waste Managed/Code	
☐ MSDS/Analytical	
Period of Operation	•
☐ Type of unit	Stongl
☐ Dimensions/capacity	
☐ Materials of construction	roncrete floor
☐ Secondary containment	
☐ What process	plating wester, floor sweepings, platingsludge
☐ Volume/Rate	
☐ From Another SWMU?	from SWMU 1
☐ Disposition of Waste	
☐ Disposition of Waste ☐ Evidences of release	
☐ Evidences of release	☐ Yes □ No
☐ Evidences of release☐ Structural integrity	☐ Yes ☐ No
☐ Evidences of release ☐ Structural integrity ☐ Documented Release If Yes, Describe	
□ Evidences of release □ Structural integrity □ Documented Release If Yes, Describe	III wesley's notes on all swmvs
□ Evidences of release □ Structural integrity □ Documented Release If Yes, Describe	III wesley's notes on all swmus
□ Evidences of release □ Structural integrity □ Documented Release If Yes, Describe **Lefty + B	III wesley's notes on all swmvs
□ Evidences of release □ Structural integrity □ Documented Release If Yes, Describe **Leftr + B	III wesley's notes on all swmvs

J No	Facility: Certified Technology, Inc. City/State: Rockford, Minois Date: 6/3/98 Page 6 10
	Time
☐ Active/Former/Closed	
☐ Waste Managed/Code	
MSDS/Analytical	
Period of Operation	
□ Туре of unit	
□ Dimensions/capacity	
Materials of construction	
Secondary containment	
☐ What process	
□ Volume/Rate	
☐ From Another SWMU?	/
Disposition of Waste	_/
Evidences of release	
Structural integrity	
Documented Release D Yes	□ <i>N</i> ₀
If Yes, Describe	

WMU No	Facility: Cartifled Technology, Inc. City/State: Rockford, Illinois Date: 6/3/98 Page of
	Time
☐ Active/Former/Closed	
☐ Waste Managed/Code	
☐ MSDS/Analytical	
Period of Operation	
☐ Type of unit	
☐ Dimensions/capacity	
☐ Materials of construction	
☐ Secondary containment	
☐ What process	/m/
□ Volume/Rate	
☐ From Another SWMU?	
Disposition of Waste	
Evidences of release	
Structural integrity	
☐ Documented Release ☐ Yes ☐ No	
otes:	
당 (1)	

U No	Facility: Certified Technology, Inc. City/State: Rockford, Illinois Date: 6/3/98 Page 10 of 1
	Time
Active/Former/Closed	
☐ Waste Managed/Code	
MSDS/Analytical	
☐ Period of Operation	
☐ Type of unit	
Dimensions/capocity	
Materials of construction	
Secondary containment	
☐ What process	a.[/
□ Volume/Rase	<u>/</u>
☐ From Another SWMU?	····
Disposition of Waste	
☐ Evidences of release	
Structural integrity	
□ Documented Release □ Yes □ No	
If Yes. Describe	·
	·
	Signature: 7114

Facility Setting Properties/streets Drainage paths Storm sewer inlets	Facility: Certified Technology, Inc. City/State: Rockford, Illinois Date: 6/3/98 Page <u>1</u> of <u>1</u>
	A
	N
•	
Notes: Refer to map provi	ted by facility
,"我就开心的话,不是一个人,我们就是一个人,我们就是一个人的人,我们就会不会有什么。""我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就	
	<u> </u>

Facility Layout/SWMU Map

Facility: Certified Technology, Inc.

City/State: Rockford, Minois

Date: 6/3/98

Page 12 of 17

N

Notes: Refer to map provided by facility

Signature: MP

VSI Photograph Log

Facility: Certified Technology, Inc.

City/State: Rockford, Illinois

Date: 6/3/98

12 of 17 Page

	<u>Time</u>	Roll	<u>Photo</u>	<u>Description</u>	<u>Direction</u>
	<u>¥1;40</u>	1	1	Former Haz Waste Sto Area/Current/Sat Accum.	N
		_		Area jalso preduct storage	
	11:45	<u>j</u>	2	Another wewet # 1, product is stored	$\underline{\omega}$
	11:51	_ 	<u> </u>	on pallets in 5-gal plastic containers and Nonhaz AHazwaste Portion Current Hazywaste Storage Area XBdums	5
	11:52	1	4	Another wrewest #3, Non haz prition	<u> 561</u>
	 2:04 			Another view of #3+#4, primarily floor Sweepings (left) and primarily s/Wage(right) b) I-jal containers on right = product	
· .	otes: Lowellian Facil plating	in he	ar fut	QG, < 150 day storage	tch to

VSI Photograph Log

Facility: Certified Technology, Inc.

City/State: Rockford, Illinois

Date:

Page

6/3/98 14 of 17

Time:	Roll	<u>Photo</u>	Description	<u>Direction</u>
	_	_		
	_	_		/
		_		
	_			
	_	_		
	_	_		
		_		
	_			
	_	_	/	
	_	_/		
	-/	/_		. ——
Notes:				
				
			Signature: 271	

Wrap-Up Meeting

Facility: Certified Technology, Inc.

City/State: Rockford, Illinois

Date:

6/3/98 15 of 17 Page

			Time		
1.)	MSDSs	R	reviewed		
2.)	Manifests	٥			
3.)	Facility Maps	Q		,	
4.)	Transporter (Name/City/EPA 1.D.) Enuly. Calyperait	a 	POTW		
5.)	Permits: NPDES	a	General wasterater Vischomo Permit		
	- Stormwater	٥	Rock Airer Water Reclamation District	Lheld st 1984	nce
	Air-	۵	Effective Feb 1, 1997 - Jan 31, 2000	7767	
6.)	Monitoring Data NA	۵	6 month - 12 month reporting frequency		
·	, ₁ , ₁ , .		Discharge limitations - 40CFR A. 241	3	
7.)	Questions From Facility				
8.)	CBI Request	۵		İ	
9 .)	Contact	٥			
				}	
	A French				
مرد :Notes	Will send cop	res	of MSDSs, POTW Permit, + POTW monitorin	و	
_e,	ents (fallity copie	ناء	broken)		
		- 1	10.30 04		
	Latt	_\$11	e at 12 PM		
			Signature: MP		
		(J. 12)	Gignation of the state of the s		

 	Page <u>/6</u> of <u>17</u>
-	all other metals parameters below requirements
	> water from rinse tank (last tank of 3, 1st tank has highest concer
	in other plating master drams - non har 1'. dram (pH=8)
	END
	mP
	left facility a 1230
-	
-	
-	
_	
Note	
	Signature: MP

Facility: Certified Technology, Inc.

TechLaw, Inc.

City/State: Rockford, Minois

Facility: Certified Technology, Inc. City/State: Rockford, Illinois Date: 6/3/98 19 of 19 Page Notes:

TechLaw, Inc.

14 am (14)

Signature:

	City/State: Rockford, Illinois Date: 6/3/98
is and a	Pageof
Personnel Present	Time 0955
1.) VSI Team	Bill Wesley > Techton Mike Powers >
	Mike Powers > lechland
	Ed Eggleston, Certified
2.) Facility Representatives	V 0 -1
	Ken R. Thompson, Febr-Graham A. Dvane Herrmann, Certified Tech
	Duane Herrmann Certified Tech
3.) State Representative	
Topics Addressed	
1.) Purpose of VSI	M PA/VSI
, I m post of . Of	Satelite Accumulation Area (AKA, Former for whate Straight) Derrent Hazardas & Non Hazardous Storage Area Dumpster wi Hazarda Comestic-type retuse
2.) List of SWMUs/AOCs Poscible	Demoster with and somestic-type refuse
3.) Health and Safety	□ Modified Level D-no overhead
•	huzards, no hardhat
4.) Transportation on Site	
5.) Other	
Notes:	
	Signature

Introductory Meeting

Facility: Certified Technology, Inc.

Current/Former Operations

Facility: Certified Technology, Inc.

City/State: Rockford, Illinois

Date: 6/3/98

Page 2 of 2

		Time 10 30
1.)	Current Owner	B+T Building Corporation
	Current Operator	Certified Technology
	Dates of Current Operations	1984 to fresent
	Operations	Electroless Nickel Plating +
<i>2.)</i>	Former Owner	Thinks B+J built it in lete
	Former Operator	30's early 40's. K+something
	Dates of Former Operations	made washer tanks (not some
	Operations	pre-1984
<i>3.)</i>	Former Owner	no idea what was here prior
	Former Operator	
	Dates of Former Operations	
	Operations	
	Ihriau S	
lotes:	1 (7 6)	ps occupied north and of facility
tor	1054 1-8 YE	a/5.
	Windows + Door	Shop 22-3 pars [prior to
		Wach ine shop
mp	ty prior to Wind	us f Door Signature: 22/6-3-98
2.5	 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	CONTROL OF CONTROL OF THE CONTROL OF

Hazardous Waste Processes

Facility: Certified Technology, Inc.
City/State: Rockford, Illinois
Date: 6/3/98
Page _____ of ____

	Time
Current/Former	alominum, Zinc nickel
Waste(s) Generated	DOOZ muratic acid nitric acid phosphor
val Rate 55	sodium Hydroxide cleaner, stripper
Disposition 29/10/	8-10 nitric 2.3 muricitic cleaner 24
Dates	since 1984 stripper 26
Current/Former	(solexium)
Waste(s) Generated	DOOR, DOID, DOOZ, WOOT
Rate	·
Disposition	
Dates	since 1984, although focumentation
	prior to 1984, although focumentation prior to 1986 may not list the metal code Processes have not changed since 1884.
Current/Former ,	Processes have not changed since usy
nonh	azardous
Waste(s) Generated	MICKEL DIGITING DOTA MICKET 30 HOPE VITTE
Rate	
Disposition	The state of the s
Dates	the 55-gation circums are primarily right a
Dutes	trace nudmion of
9 s .:	Julin so some unknown stubiliz
opper, cadm	um Chromium district possible sclanium
Howed 10 pp	of nickel in their sanitary discharge; and
dicates 2px	
hird rinse h	rastemater s Signature:
선물 선물에 가는 그 시민에 돌아 나는 없었다.	aream for the least of the section o

Hazardous Waste Processes

Facility: Certified Technology, Inc.
City/State: Rockford, Illinois
Date: 6/3/98
Page ____ of ____

		Time
_	Current/Former	
	Waste(s) Generated	Waste Oil (2-gallon, tin pan) from
	Rate	Car Club - SINCE 1997 (October)
	Disposition	Car Club members must take all
	Dates	Car Club members must take all wastes home with them; they are responsible for disposal of austroi)
	Current/Former	<i>61</i> C.
	Waste(s) Generated	
	Rate	
	Disposition	
	Dates	
	Current/Former Waste(s) Generated	Nickel plating bath samples from lah are drummed in non-hazardous nickel
	Rate	plating both drum
	Disposition :	
	Dates	Lab in operation since 1984
Notes:	The	part of building to the north of
the	plating &	rea has only been leased since May 1997
Roc	k River	Water Reclamation District
		Signature;
	81 US 1988 BUBBARE	

Active	/Closed	USTs
--------	---------	------

NA

Facility: Certified Technology, Inc.
City/State: Rockford, Illinois
Date: 6/3/98
Page _____ of ____


	Time
Product	
Capcity	\
Construction	\
Installed (yr)	
Closed/Date	
Product	
Capcity	
Construction	
Installed (yr)	
Closed/Date	
Product	
Capcity	
Construction	
Installed (yr)	
Closed/Date	
Notes:	
	Signature: 15 M 63 8

North Name	City/State: Rockford, Illinois Date: 6/3/98 Current Safellite Accumulation. Page
A 17141V CKER	1997 TEAR Certifical storage Time 1140 Active/Former/Closed Closed > 90 day are Currenthy 5/1/4 Waste Managed/Code Muriatic/picsphori dnithic acids - DDO: MSDS/Analytical Doot, Dood, DOOD, DOOD, DOOD MSDS/Analytical Period of Operation SAH since 11497 790 day since 11805 Type of unit 35-ga/lsin drawn storage Dimensions/capacity 15'x15' Materials of construction Concrete floor good condition, no crass Secondary containment indoors 14 pripping What process plating trinsing to cleaning of incoming part Volume/Rate Gee previous pages From Another SWMU? NO Disposition of Waste Clean Hatbors / Fibro-Tech / might stort Evidences of release No Period Structural integrity GOOD Documented Release Yes & No If Yes, Describe
Notes:	
4 7	그는 그 그는 그는 그는 그는 그를 살았다. 그는 그는 그를 그리고 그들은 그는 그를 가는 그를 가장 하는 것이다. 그는 것이다.

SWMU No. <u></u>	ANon tazandous	Facility: Certified Technology, Inc. City/State: Rockford, Illinois
Name Current Haza	ordous, Waste	Date: 6/3/98
Storage Area		Page of
All Drum	5 (55 - gallon)	are plastic Time #5 1150
☐ Active/Former/Closed	·	
Waste Managed/Code	Csame as Su	MU1) & DOOZ
DelCO nickel plating b	outh 55-gallon ilrum	4 DOOZ, DOO7, DOUS, DOIS
7drums (55-g) of s	studio - la	preent
Period of Operation	1/2	1
Type of unit	Vrum 5	Forage
☐ Dimensions/capacity	40' x 20"	
☐ Materials of construction	on concrete	
☐ Secondary containment	indoors	
☐ What process	Plating + r	insing + cleaning Istripping of income
☐ Volume/Rate	13 55-gallon	Haz Waste Drums, 2100 mm
☐ From Another SWMU?	Yes, Haz Was	
Disposition of Waste	Evaporatein pas	I to get studge; Clean Harbors
☐ Evidences of release	Fibro-Tech or L	aidlan
☐ Structural integrity	good, no cra	ack 9
☐ Documented Release	Yes No	
	- 1es 10	
If Yes, Describe		2 1 100
Notes: 500 0	They can st	ore for of to 180 days
wort permit		
11	fort m	
Lumently ac	community it.	TO SEE IL ELECTROGICALYSIS
to recover nick	81 15 A Eagl	UIE 11/268
		Signature: PM 6-7-70

SWMU No. 3	Facility: Certified Technology, Inc. City/State: Rockford, Illinois
Name Nonhazardous Nickel Plating	Page of
	1
□ Active/Former/Closed with	s page /constantidates
☐ Waste Managed/Code	
☐ MSDS/Analytical	
Period of Operation	
☐ Type of unit	
☐ Dimensions/capacity	
Materials of construction	
☐ Secondary containment	
☐ What process	
□ Volume/Rate	
☐ From Another SWMU?	
Disposition of Waste	
Evidences of release	
☐ Structural integrity	
☐ Documented Release ☐ Yes ☐ No	
If Yes, Describe	42/
Wall of the state	MORAT So to Seven District
Notes: <u>Certified</u> will copy	Affit Sunitary Sever District
an MSDS Deconit	
	Signature:

APPENDIX C
FACILITY LAYOUT AND SWMU/AOC LOCATIONS



RCRA PRIORITIZATION SYSTEM SCORING SUMMARY

FOR

CERTIFIED TECHNOLOGY, INC.

EPA SITE NUMBER: ILR000016980

ROCKFORD, IL

SCORED BY: M. POWERS

OF TECHLAW, INC.

ON 07/15/98

SURFACE WATER SCORE: 14.10
AIR ROUTE SCORE : 0.00

GROUNDWATER SCORE : 8.12

ONSITE SCORE : 0.00

MIGRATION SCORE : 8.14

EPA ID NO. : ILRO00016980 CERTIFIED TECHNOLOGY, INC.

WS-1 GROUNDWATER ROUTE

IS THERE AN OBSERVED RELEASE? N

ROUTE CHARACTERISTICS

DEPTH TO AQUIFER (FT.) : 225

NET PRECIPITATION (IN.): 2

PHYSICAL STATE: LIQUID, GAS, SLUDGE

CONTAINMENT: GOOD

WASTE CHARACTERISTICS

CHEMICAL NAME OR WASTE CODE NUMBER: LEAD

TOXICITY PERSISTANCE VALUE: 18

QUANTITY KNOWN? NO

CUBIC YARDS OR TONS: 0
DRUMS : 0

AMOUNT IS LIKELY TO BE SMALL

TARGETS

GROUNDWATER USE: DRINKING WATER

DISTANCE TO WELL (MILES): 0.3

WS-2 SURFACE WATER ROUTE

RELEASES

IS THERE AN OBSERVED RELEASE? N

IS THERE A PERMITTED OUTFALL? N

HAVE THERE BEEN PERMIT VIOLATIONS? N

ROUTE CHARACTERISTICS

FACILITY LOCATION: OTHER

24-HOUR RAINFALL: 2.5

DISTANCE TO SURFACE WATER (MILES): 0.06

PHYSICAL STATE: LIQUID, GAS, SLUDGE

CONTAINMENT: GOOD

WASTE CHARACTERISTICS

CHEMICAL NAME OR WASTE CODE NUMBER: LEAD

TOXICITY/PERSISTANCE VALUE: 18

QUANTITY KNOWN? NO

CUBIC YARDS OR TONS:

DRUMS : (

AMOUNT IS LIKELY TO BE SMALL

TARGETS

SURFACE WATER USE: POSSIBLE DRINKING WATER OR RECREATION

DISTANCE TO INTAKE OR CONTACT POINT (MILES): 0.3

DISTANCE TO SENSITIVE ENVIRONMENT (MILES): 2.0

EPA ID NO. : ILRO00016980 CERTIFIED TECHNOLOGY, INC.

WS-3 AIR ROUTE

RELEASES

IS THERE AN OBSERVED, UNPERMITTED, ON-GOING RELEASE? N

DOES THE FACILITY HAVE AN AIR OPERATING PERMIT(S)? N

HAVE THERE BEEN ANY PERMIT VICLATIONS OR ODOR COMPLAINTS BY RESIDENTS? N

CAN CONTAMINANTS MIGRATE INTO AIR? N

CONTAINMENT: VERY GOOD

WASTE CHARACTERISTICS

CHEMICAL NAME OR WASTE CODE NUMBER: LEAD

TOXICITY/PERSISTANCE VALUE: 3

QUANTITY KNOWN? NO

CUBIC YARDS OR TONS:

DRUMS : C

AMOUNT IS LIKELY TO BE SMALL

TARGETS

POPULATION: RESIDENCES ARE LOCATED WITHIN FOUR MILES

DISTANCE TO SENSITIVE ENVIRONMENT (MILES): 2.0

WS-4 ON SITE CONTAMINATION

ACCESS TO SITE: INACCESSIBLE

IS THERE AN OBSERVED SURFACE SOIL CONTAMINATION? N

CONTAINMENT: GOOD

WASTE CHARACTERISTICS

CHEMICAL NAME OR WASTE CODE NUMBER: LEAD

TOXICITY/PERSISTANCE VALUE: 3

TARGETS

DISTANCE TO RESIDENTIAL AREAS (MILES): 0.02

IS THERE AN ON-SITE SENSITIVE ENVIRONMENT: N